

CHRONOS trapezoidal sheet

Innovative design, easy handling and flexibility features of the new mounting system of T.Werk GmbH. The installation is very simple. Pre-drilled mount rail short pieces on the trapezoidal sheet metal with special thin sheet metal screws without cutting, Position the module, click in pre-assembled clamp adapter, tighten the screw, done. No rivets, drilling, sawing and consuming threading screws.



➤ **Your benefits:**

- Very high time savings as compared to conventional systems
- As a short rail available in different lengths (standard 120 mm/390 mm)
- No drilling necessary.
- Short rails are pre-punched to fit all standard trapezoidal sheet metal roof
- Both in the right angle to the run as well across several raised corrugations mountable
- Reduction of water wetting of the fasteners through internal roof mounting
- Pre-assembled universal middle clamp for all framed modules 29-51 mm frame height

- **EPDM sealing:** UV- und Ozone-resident EPDM sealing is included. Adhesive on one side (mounting aid)



- **self-tapping screw:** with EPDM sealing washer, bimetal, officially approved, non-cutting assembly without pre-drilling



- **end-clip:** A middle clip is mounted in combination with a compensation profile.



- **end-clip:** standard end-clip which is secured with a self-drilling threaded plate.



- **Module grounding:** optionally the middle clip is pre-assembled with a grounding-plate.

Product Data Sheet
CHRONOS trapezoidal sheet



- **middle-clip:** Pre-mounted and suitable for all framed modules with a frame height of 29 to 51 mm



T.Werk GmbH · Zur Schönhalde 10 · 89352 Ellzee
Tel.: +49 8283 997904-0 · Fax.: +49 8283 997904-299 · E-Mail: info@t-werk.eu ·
www.t-werk.eu

©T.Werk GmbH · Änderungen vorbehalten · D112 · V3 · 07/2016 · PL